SUBJECT INDEX

Acetaminophen *see* Paracetamol
Acetic acid–Al complexes 45
Acetone, ^{13}C INEPT spectra 557
Acetophenoxime C–C coupling, medium effects 383
Acetoxime C–C coupling, lone pair effect 379, 380
Acetylene derivatives C–C coupling constants 352, 366–371
  FPT INDO calculated 371
  stretching force constant and 385
Acyl cations C–C coupling constants 409, 410
Adamantanes C–C coupling constants 319, 326, 327
Al(III) aqueous solution chemistry
  aluminates 50
  aluminosilicates 50, 51
  complexes
    inorganic 39
      ^{19}F studies 41–44
      multidentate phosphates 49
      orthophosphate 44
      sulphate 40, 41
    organic
      acids 45–48
      alumichrome 48
      imidazolidine-2-one 50
      pyrone 48
  heteropolyanions 51
  hydration 23
    ^{27}Al studies 24
    ^{1}H spectra 25–27
    ^{17}O spectra 24
  hydrolysis 27
    ^{27}Al studies 29–36
    ^{1}H studies 36–39
    ^{17}O spectra 29
    tridecamer formation 34, 35
  ion pairing 52
^{27}Al NMR
  acetyl acetone complexes 106
  adducts, alkoxides and oligomers 86–89, 91–96
  Al(III) hydration studies 24
  Al(III) hydrolysis studies 29–36
    high field 32–36
  chemical shifts 14, 115
    adducts, alkoxides and oligomers 83–85, 122
    alcohols 61
    alkyl compounds 99, 125
    borohydrides 116
    comparison with ^{11}B 117, 118
    coordination number and 124–126
    cyanides 65
    DMSO/DMF mixtures 56, 57
    ethers 69
    halides 104
    hydride bridged metal hydrides 116, 117
    in aqueous solution 52, 53
    in solids 127
      AlN_4 130
      AlO_5 130
      AlO_6 130
      $Al(OX)_4$ 128–130
      comparison with liquid phase 130, 131
    mixed solvents 80
    phosphate complexes 58
    range 15, 16
    steric effects 123, 124
    substituent effects 118–123
    tetraluminates 75, 76
    various weak donors 70
  halides 103, 104
  hydration 24
  hydrolysis 29–36
  in alcohols 58–61
  in ethers 66–69
  in mixed solvents 76–80
  molten salts 81, 82
  multidentate phosphates 49
  organic complexes 45–50
  orthophosphates 44
  perchlorate in anhydrous solvents 55–57
  properties of quadrupolar nucleus 3
    chemical exchange in equilibrium systems 17, 18
    operational techniques 4
      $Al_2(SO_4)_3$ spectrum 5
      missing intensity 5–10
      phase correction 5, 6
      resonance standards 8
      sensitivity 4
      tridecameric Al^+ spectrum 7
    spectroscopic parameters
      electric field gradient (EFG) tensor 10–14
      ligand arrangements 12, 13
      multi-exponential relaxation 13, 14
      quadrupole relaxation 10–13
      solid state 10, 18–21
    spin-spin coupling 16, 17
  solid state spectroscopy
    chemical shifts 127–131
    in Alzheimer's disease 23
    magic angle spinning 19–21, 127–129, 132, 134, 135
    resolution of sites 131
    structural studies 131
      calcium aluminates 134, 135
      clays and layer silicates 133
      gels 132, 133
      glasses 133
      other compounds 134, 135
      zeolites 132
    tridecameric Al spectra 21
    variable angle spinning 20, 21
  spin-spin coupling 126, 127

trialkyl Al, parameters 99
Alcohols
solutions of Al salts 58–61
—water solutions of Al salts 78, 79
Alkoxides, Al interactions 91–96
Alumichrome 48, 49
Aluminates
crystal formation 50
structural studies 134
Aluminium
acetylacetone complexes 105
adducts
nitrogen donors 86, 87
oxygen donors 89–91
phosphorus donors 87–89
sulphur donors 89
alkyl compounds 96–101, 125
alkyne bridge compounds 102
aryl bridge compounds 102
bidentate ligands complexes 105, 106
borohydrides 106–111, 116
adducts 111–113, 116
combinations with other metallic compounds 103
cyclopropyl compounds 104
halide bridge compounds 102
hydride bridged metal hydrides 113–117
salts
chloride melts 81, 82
in anhydrous solvents 53
alcohols 58–61
anhydrous nitrate 64
DMF 54–56
DMSO 54–56
ethers 66–69
methyl cyanide 61–66
organic phosphates 56, 57
phenyl cyanide 63–65
various weak donors 69–71
in mixed aqueous solvents 76
alcoholic 78, 79
amide 77
DMSO 77
methyl cyanide 79, 80
organic phosphates 78
various 80
toxicity
Alzheimer's disease and 23
in chlorella 50
kidney dialysis patients and 22
to fish 22
trihalides 103
trimesityl 101
unsaturated ligand compounds 105
Aluminosilicates, pressure effects 50, 51
Amino acids
C–C coupling constants 437–440
pH on 440, 441
principal axis systems 194, 195, 200
p-Aminophenol (PAP) metabolism ^{1}H NMR studies 482, 486–489, 492, 495, 497
p-Aminophenol acetanilide *see* Paracetamol
Amniotic fluid ^{1}H NMR detection of endogenous metabolites 461, 474
Ampicillin metabolism ^{1}H NMR studies 482, 485–487
5α-Androstane
^{13}C INEPT spectra 554
^{13}C I_NS multiplicity filtration spectra 560
Anilines, C–C coupling constants 344–348
Antifluorite crystals
precursor order
K_2OsCl_6 NQR studies 167–171
rotational phase transitions 166
structure distortions 166
As-In-Sb alloys, thermodynamics and R_Q 206, 226, 227, 230
^{75}As NMR in phase-change studies 152
Aspartic acid, pH on C–C coupling 440
Au-Cd-Sn alloys, thermodynamics and R_Q 206, 214, 215, 230
Au-Ga alloys, thermodynamics and R_Q 206, 215–217, 230
Au-In alloys, thermodynamics and R_Q 206, 215–217, 230
Au-In-Sb alloys, thermodynamics and R_Q 206, 215–217, 230
AX spin system *see* Magnetization modes
AX_2 spin system *see* Magnetization modes
Aza-aromatics, C–C coupling, lone pair effects 379–382
Azines, C–C coupling constants 350, 351, 359–362
lone pair effects 380, 381

^{11}B NMR
Al borohydrides 106–108, 113
chemical shifts 117, 118
Ba-Cd-Sn alloys, thermodynamics and R_Q 206, 217, 219, 230
Barium titanate phase transition 152, 153
Benzenes, C–C coupling constants
metasubstituted 344, 346
monosubstituted 341–345
orthosubstituted 344, 345
parasubstituted 344, 347, 348
Benzocycloalkanes, C–C coupling constants 349, 350
Benzofurans, methyl substitutions on rotational diffusion principal axis 190, 191, 200
Benzo[a]pyrene, C–C coupling constants, bond lengths and 386, 387, 425
Benzoyl cations, C–C coupling constants 409, 410, 413
Betaine (*N*-trimethylglycine) in human urine 472–474
Bi-In alloys, thermodynamics and R_Q 206, 217–220, 230
Bi-In-Sb alloys, thermodynamics and R_Q 206, 217–220, 230
Bi-Te alloys, thermodynamics and R_Q 206, 219–221, 231
Bicycloalkanes, C–C coupling constants 319, 322–325

steric effects 375
Bicyclobutanes, C–C coupling constants 307, 308
Bile, ^{1}H NMR
detection of endogenous metabolites 461
of *p*-aminophenol metabolism 482, 487, 489
spectrum of lyopholized 467
comparison with non-lyopholized 467, 468
Biofluids, physicochemical properties and ^{1}H NMR 459 *see also* ^{1}H NMR
Biphenyls, substitution on rotational diffusion principal axis 187–190
Blood plasma and whole blood, ^{1}H NMR
amino acid detection 465
effect of fasting 479
effect of sample freezing 480
endogenous metabolites detection 461
in cancer diagnosis 476, 478–480
in clinical toxicology 475–477
in diabetes screening 470, 471
lactate detection 464, 465
lipoprotein detection 464, 466
pathology and 464–466
spin-echo pulse sequences for 463
spectra obtained 464
Bromoethanamine hydrobromide toxicity ^{1}H NMR study 489, 490
9-Bromophenanthrene COLOC spectra 563–566
Bromothiophene principal axis systems 190, 191, 200
Butane and derivatives, C–C coupling steric effects 373, 374

^{13}C FT NMR for C–C couplings 297
^{13}C NMR
editing using CR sequences 522–555, 559
of Al compounds
acetylacetone complexes 106
adducts 86, 87, 89
alkoxides 95
alkyls 97
in mixed solvents 77
organic complexes 46–49
^{13}C relaxation
in CH_2 groups 239
principal axis orientation and 182–196, 199–201
Cadmium toxicity ^{1}H NMR studies 492, 494
Carbenium ions, C–C coupling constants 404–409, 414
Carbohydrates, C–C coupling constants
aldofuranose-containing 433–437
aldopyranose-containing 425–432
Carbon–carbon coupling constants
biological applications
amino acids 437–441
carbohydrates with aldofuranose moiety 433–437
carbohydrates with aldopyranose moiety 425–432
in biosynthetic studies 441, 442
calculation methods 297, 298
carbon skeleton determinations and 422–425
experimental procedures, INADEQUATE and related sequences 294–297
hybridization of atomic orbitals 298
deficiencies of model 301, 302
highly-strained systems 301
s-character of various C atoms 302
in bicyclobutane derivatives 307, 308
in catalytic metal complexes 416–422
in charged molecules
carbenium ions 404–409
heterosystems 409–416
in cyclobutane derivatives 305–307
in cyclobutenes 308–310
in cyclobutenones 308, 309
in cyclopropane derivatives 302–304
in oxirane derivatives 310–312
lone pair effect
allenyl ethers 397, 402
aza-aromatics 379, 382
ethers, sulphides and selenides 397–404
ethyl ethers 397, 398
imine isomers 387–394
orientation to heteroatom 375–379, 387
oximes 393
phenyl ethers 402–404
vinyl ethers 397, 399–401
N-vinylazoles 394–397
main factors affecting one-bond 298
medium effects 382, 383
nature of bond 383
acetylene derivatives and 385
aromatic framework and 384
benzo[a]pyrene 386, 387
range of 294, 295, 299
spin-spin mechanisms 297
steric effects
from bond-angle variations 371–373
from mutual orientation of chemical bonds 373–375
substitution effects 312
across a double bond 319
chlorinated olefins 336, 337
cycloalkenes 336–338
methylenecycloalkanes 336, 339–341
monosubstituted ethylenes 319, 325, 333, 334
olefins 341
polysubstituted ethylenes 325, 334–336
across a single bond 313
alicyclic compounds 319–321
monosubstituted ethanes 313–318
monosubstituted ethylenes 315
polycyclic compounds 319, 322–325
side chain coupling 319, 329–332
polysubstituted ethanes 316, 318
across triple bonds 352, 366–371
FPT INDO calculated 370, 371
generalized treatment 313
in aromatic compounds and condensed hydrocarbons 341
azulenes 349, 353

benzenes
metasubstituted 344, 346
monosubstituted 341–345
orthosubstituted 344, 345
parasubstituted 344, 347, 348
benzocycloalkanes 349, 350
naphthalenes 349, 351, 352
polycondensed cycles 350, 354–356
in heterocycles 350, 356–365, 381
Carboxonium ions, C–C coupling constants 411–414
^{113}Cd NMR of zeolites 132
Cerebrospinal fluid ^{1}H NMR
2–D COSY spectrum of lyophilized 469
detection of endogenous metabolites 461
Chemical exchange in ^{27}Al equilibrium systems 17
Chemical shifts
^{27}Al 14–16
anisotropy (CSA) in spectral density calculations 253–255, 278–281
^{19}F in Al complexes 43
^{1}H in Al salt solutions 39
Hamiltonians 520
Chemical short range order (CSRO) in liquid metallic alloys 204
Citric acid–Al complexes 46
^{35}C1 NQR studies of K_2OsCl_6 167–171
isotope (^{37}C1) dependence 170
Clays, structural studies 133
Clinical applications of ^{1}H NMR spectroscopy 470–480
cancer diagnosis 476, 478–480
diabetes control 470, 471
inborn errors of metabolism 470
kidney failure 476, 477
liver failure 475
COLOC sequences and spectra 563–566
COSY, use for ^{1}H NMR of urine 459, 475
paracetamol metabolism and 483, 484
Creatine marker in human urine 471, 472
α-Cyanodiarylmethyl cations, C–C coupling constants 413, 414
Cyclobutane derivatives, C–C coupling constants 305–307
hybridization changes and 307
long-range terms 307
Cyclobutenes, C–C coupling constants 308–310
Cyclobutenones, C–C coupling constants 308, 309
Cyclohexanes, C–C coupling constants 319–322
Cyclohexanone, C–C coupling, steric effects 375
Cyclopentanes, C–C coupling constants 319–322
Cyclopropane
derivatives, C–C coupling constants 302–304
Walsh model of bonding 304

Density operator equation of motion
application of rf field 241, 242
density operator 240
evolution under $\hat{H}_0$ 241
Redfield equations 244, 245
relaxation processes 242–244
Diacetylene derivatives, FPT-INDO calculated C–C coupling constants 370, 371
Diamantanes, C–C coupling constants 319, 328, 329
steric effects 373, 374
Dibenzofuran C–C coupling, lone pair effect 378
Dihydrolatumcidin biosynthetic pathway, use of C–C coupling constants 441, 442
Dimethylacetone-1, 3-dicarboxylate, ^{13}C INEPT spectra 551
N,*N*-Dimethylformamide (DMF)
principal axis systems 195, 196, 200
solutions of Al salts 54
-water solutions of Al salts 77
Dimethyl sulphoxide (DMSO)
solutions of Al salts 54
-water solutions of Al salts 77
2,4-Dimethylthiazolidines C–C coupling, lone pair effect 376, 377
Drug metabolism ^{1}H NMR studies 480–488

EDTA-Al complexes 47
Electric field gradients (EFGs) in metal alloys 209–213, 218, 227, 228
Electron paramagnetic resonance (EPR) studies
$RbCaF_3$ 165
$SrTiO_3$ 159–163
Ethers solutions of Al salts 66–69
Ethylenes, C–C coupling constants
monosubstituted 319, 325, 333, 334
polysubstituted 325, 334–336

^{19}F NMR
of Al(III) complexes 41–44
of Al salts in alcohols 60
FID graphical representation 8, 9
Flucloxacillin metabolism ^{19}F and ^{1}H NMR studies 482, 486
Fluoronene ^{13}C NMR spectrum 296

Ga-Sb alloys, thermodynamics and R_Q 206, 221, 222, 230
Glasses, structural studies 133
Glutamic acid, pH on C–C coupling 441

^{1}H-^{1}H NOE for large molecules 197
^{1}H NMR
Al adducts 86, 89–91
Al alkoxides 91, 94, 96
Al alkyls 101
Al borohydrides 108–111
DMSO–water Al complexes 77
of biofluids *see also* Blood plasma
cerebrospinal fluid, 2D techniques 469
clinical applications 470–480
cancer diagnosis 476, 478–480
diabetes control 470, 471
inborn errors of metabolism 470
kidney failure 476, 477
liver failure 475

drug metabolism 480–488
combined with SPEC 483–485
detection and chemical noise 481–488
detection and dose 481
xenobiotics and metabolites detected 482
endogenous metabolites detected by 461
general survey 449–451
practical considerations 451
solvent suppression 452–457 *see also* Water
spin-echo
application to biliary metabolites 487, 489
sequences used for blood plasma 463
toxicological applications 488–494
cadmium studies 492, 494
future developments 491
hepatoxin markers 492, 493
nephrotoxin markers 489–492, 495–497
pattern recognition 494
non-linear mapping 495–498
principal components analysis 496
urine *see* Urine
organic Al complexes 46–48
spectra of aqueous Al(III) 25–27, 36–39
^{2}H and 27, 28, 37–39
^{1}H relaxation, principal axis orientation and 191, 201
^{2}H relaxation, principal axis orientation and 195, 196, 200, 201
Hamiltonian expansion in spherical irreducible tensors 275–281
table of functions for spin 1/2 280
Heteroaromatic cations, C–C coupling constants 414–416
Hexachloro–1, 3–butadiene (HCBD) ^{1}H NMR, toxicity studies 493, 497
Hg-In alloys, thermodynamics and R_Q 206, 221–223, 230
Hg-In-Pb alloys, thermodynamics and R_Q 206, 221–223, 230
Hg-In-Sb alloys, thermodynamics and R_Q 206, 221–223, 230
Hg-K-Pb alloys, thermodynamics and R_Q 206, 222–224
Hg-Na alloys, thermodynamics and R_Q 206, 222–224
Hydrazine ^{1}H NMR studies of hepatoxicity 491–493
Hydrocarbons rotational diffusion principal axis
experimental results 185–187
table of 199

Imidazolidine-2-one–Al complexes 50
Imines, C–C coupling constants and configurations 387–394
In-Na alloys, thermodynamics and R_Q 206, 224–226, 231
In-Na-Sb alloys, thermodynamics and R_Q 224–226, 231
In-Sb alloys, thermodynamics and R_Q 206, 226, 227, 231
INADEQUATE
in C–C coupling constant measurements
pulse sequence 295
modifications 296, 297
in carbon skeleton determination 422, 423
INEPT pulse sequence, optimum PT and 539, 540, 543, 545, 551, 552, 554, 557, 559, 563, 564

Lactic acid–Al complexes 45
Lactones, C–C coupling constants 433–437

Magnetization modes
construction 245, 246
evolution equations 246
AX 246, 252, 255, 256
AX_2 246, 247, 256
A irradiated 259, 260
X irradiated 258, 259
algorithm and program for 281–290
at thermal equilibrium 251–253
expansion 248–251
practical expressions for spectral densities 253–255
experimental 260
creation of non-equilibrium values
AX spin system 260–262
AX_2 spin system 262–265
detection of 265
AX spin system 266, 267
AX_2 spin system 266–268
spectral densities 267
AX spin system 269
AX_2 spin system 269, 271
foundations of 239
Malic acid–Al complexes 46
Malonic acid–Al complexes 47
Mandelic acid–Al complexes 47
Menthol, ^{13}C INEPT spectra 554, 555
Mercury (II) chloride, ^{1}H NMR studies of nephrotoxicity 491, 492
Metal complexes, C–C coupling constants 416–422
Metallic alloys *see also* individual elements
association model
applications 214–217
EFG correlation times 209–213, 218
exchange reactions in 211–213
R_Q and 209–211
thermodynamics and 207–209, 214, 229, 232
data base for R_Q 206
interactions, on R_Q 203–205
thermodynamic parameters of particular alloys 230, 231
Methyl cyanide
solutions of Al salts 61–66
-water solutions of Al salts 79, 80
Methyl groups jumping rates, principal axis orientation and 183, 184
Methyl iodide ^{13}C INEPT spectra 543
Methylene chloride ^{13}C INEPT spectra 545

Methylene groups AX_2 spin system and relaxation parameters 239
Methylenecycloalkanes, C–C coupling constants 336, 339–341
Monoheterocyclobutanes, C–C coupling constants 306, 307
Monoheterocyclopropanes, C–C coupling constants 310–312
Monoheterocyclopropenes, C–C coupling constants 310–312
Morphine, oxymorphine, nalorphine and naloxone, principal axis systems 192, 193, 200

^{14}N relaxation, principal axis orientation and 191, 195, 196, 199–201
Naphthalenes, C–C coupling constants 349, 351, 352
Nitriloacetic acid–A1 complexes 47
Nitrilotrimethylenephosphonic acid–A1 complexes 48
NMR
  determination of R_Q 205, 219–222, 226, 233
  theory, polarization transfer
    coherence 510
    density matrix 509, 510
      evolution 511–514
    density operator 509
      Liouville von Neumann equation 512, 513, 515
  experiments giving optimum PT
    Cartesian product operator basis 537–540
      pulse sequences 538, 539
    complete refocusing criteria 548
    composite pulses 545–548
      antiphase doublets 547
    composite refocusing (CR) sequences 548, 552, 565
      ^{13}C editing and 552–555
      computer search 558, 559
      2D, practical application, COLOC and 563–566
      I_5S and I_6S systems 556, 557
      long range coupling problem 563
      one-shot I_NS multiplicity filtration 559
      rotation angle mismatch 560–563
    $F_Z + S_Z \rightarrow S_Z$ 543–545
      pulse sequence 544–548
    for N = 3 and N = 4 540–543, 548
      pulse sequences 542
    proof of formulae 567, 568
    selective pulses 534–537, 547, 567
    simultaneous refocusing of 2 doublets 548–552
      pulse sequences 551, 552
  high-field liquid state Hamiltonian 508
  Hilbert space 509
  Liouville space, operator bases
    product of coupled spins 1/2 517
      chemical shift Hamiltonian 520
      evolution of 518
      J Hamiltonian 520, 521, 547
      transformation formula 519, 522, 546
  relevant operators 504
  spin dynamics bounds
    entropy and spin order 523, 531, 565
      density matrix elements limit 524, 567
      maximum S polarization in I_NS spin system 525
      N I-spins to one S-spin 525, 566
    normal matrices theorem 525–527
      PT in I_NS spin systems 531–534, 537, 567, 568
        predicted enhancement factors 533, 534
      universal 527–531, 565
        N-spin system, single resonance excitation 529
        3-spin system, 1-quantum combination lines 529–531
    time-independent Hamiltonians, generation 514, 515
    weak coupling Hamiltonian 508, 521, 537
    Zeeman Hamiltonian 504–507
NOESY in magnetization mode determinations 266, 267, 270
  analysis of peak intensities 272, 273
Nuclear magnetic relaxation
  AX spin system 239
    magnetization modes 246
  AX_2 spin system 239
    magnetization modes 246, 247
  Bloch equations, limitation 238
  density operator 240–245
  magnetization modes 245–251
    construction of 239
  multispin systems 239
  Solomon equations, limitation 238, 239, 270
Nuclear Overhauser effect (NOE) in ^{13}C spectroscopy 239
  AX equations and 256, 266
  AX_2 equations and 258, 259, 273
Nuclear spin relaxation rate, quadrupolar (R_Q) in metallic alloys 203
  approximations in calculations 228, 229
  EFG and 227, 228
  experimental data 214–227
  experimental determination 205

^{17}O
  A1 adducts 90, 91
  relaxation, principal axis orientation and 195, 196, 200
  spectra of aqueous A1(III) 24, 25, 29
Oxalic acid–A1 complexes 46
Oximes, C–C coupling constants 393
Oxirane derivatives, C–C coupling constants 310–312
Oxpentyffline metabolism ^1H NMR detection 482, 486

^{31}P NMR of A1 compounds
  adducts 87–89
  in nitromethane solution 57

multidentate phosphates 49
orthophosphates 44
PAP *see para*-Aminophenol
Paracetamol (Acetaminophen, *p*-aminophenol acetanilide) metabolism ^{1}H NMR detection 481–483
Paramagnetic ions, interaction of water 456
2,4-Pentadione ^{14}C INEPT spectra 557
Peptides, principal axis systems 194, 195, 200
Perovskite crystals
precursor order 159
$RbCaF_3$ 164–166
rotational phase transitions 159
$SrTiO_3$, EPR studies 159–163
structure disturbance 152, 153
Phase transitions, structural
displacive
$BaTiO_3$ 152
cluster picture 156, 157
order-disorder crossover 156–158, 171
theory 154
impurities on 158, 163, 168, 171
order-disorder
$NaNO_2$ 153
theory 155, 156
precursor order
in antifluorite 166
in perovskite 159
universality classes 151, 152
Phenyl cyanide solutions of A1 salts 63–65
Phenylazo-naphthols C–C coupling, lone pair effect 378
Phosphates, A1 compounds 44–50, 56–58
Piperidines C–C coupling, lone pair effect 375, 376
Polarization transfer experiments *see* NMR theory
Potassium hexachloro-osmate, dynamic precursor order 167–171
Propylene imine toxicity ^{1}H NMR study 490
Pyridone and methyl pyridone principal axis systems 192, 200
Pyrone–A1 complexes 48
2-Pyrrolidone principal axis systems 192, 193, 200

Rotational diffusion
constants 178
molecular motion theory 176–179
principal axis system orientation
determination, methods of 180
inertial principal axis and 180, 181, 184
rotation matrices 182, 183
experimental results 185
amino acids and peptides 194, 195, 200
DMF 195, 196, 200
heterocyclic compounds 190–193, 200
hydrocarbons 185–187, 199
steroids 194, 195, 200
substituted aromatic compounds 187–190, 199, 200
terpenes 193, 194, 200
factors affecting 179, 180
small step validity 178
Rubidium calcium fluoride
intrinsic precursor order 164–166
^{87}Rb NMR 164

N-Salicylidenaniline C–C coupling, lone pair effect 378
Sb-Te alloys, thermodynamics and R_Q 206, 219–221, 231
Selenium, lone pair effect 397–404
Seminal fluid ^{1}H NMR 474
^{29}Si NMR of zeolites 132
SIMPLEX program for CR sequences 558
Sodium chromate toxicity ^{1}H NMR studies 487, 490
Sodium nitrite phase transition 153
Solid phase extraction chromatography (SPEC) with NMR of biological material 483–485
Solid-state spectroscopy *see* $^{27}A1$ NMR
Spin-spin coupling to $^{27}A1$ 16, 17
Steroids, principal axis systems 194, 195, 200
Strontium titanate precursor order, EPR studies 159–163
Sulphur, lone pair effect 397–404

Tartaric acid–A1 complexes 47
Terpenes, principal axis systems 193, 194
Tetraaluminates 71–77
Tetrahydro-methyl-methanonaphthalenes, molecular geometry and principal axes 187, 188
Thermodynamics of metal alloys *see* Metal alloys
Thiazoles, principal axis systems 191, 192, 200
Time differential perturbed angular distribution (TDPAD) determination of R_Q 203, 233
experimental 205, 221, 226
Transient NOE in magnetization mode determinations 266, 267, 270
Trimethyl dioxanes C–C coupling, lone pair effect 377, 378
Tropine and pseudotropine, principal axis systems 192, 194, 200

Urine, ^{1}H NMR
human
ammonium ion detection in 461
clinical applications 471–474
clinical toxicology 475–477
drug metabolism studies 481–484, 486
effect of fasting 472
endogenous metabolites detectable in 461
spectrum, comparison with rat 462
spectrum, typical 459, 460
water suppression 453, 459, 460
after oral benzylpenicillin 455
citrate on 456, 457
pH dependence 454, 457
rat
ampicillin metabolism study 485–487
$CdCl_2$ on 492, 494

$HgCl_2$ on 491, 492
hydrazine on 492, 493
N-methylformamide study 482, 486, 488
nephrotoxins on 489–492, 495–497
spectrum, comparison with human 462
toxin pattern analysis 497, 498

N-Vinylazoles, C–C coupling constants and conformations 394–397

Water suppression in ^1H NMR of biofluids
Gd^{3+} on 456–458
pH dependence 454, 455
Mn^{2+} on 456
urea on 457, 460
WATR 454–456
WEFT 452
WEFT application to biofluids 452

Zeolites, structural studies 132